



OPTION 1:

DESIGN GEOGRID LAYOUT SUCH THAT GEOGRID ELEVATION(S) ALONG ADJACENT WALL FACES ARE SEPARATED BY A MINIMUM OF ONE FACING UNIT.

OPTION 2:

MODIFY GEOGRID LAYOUT SUCH THAT GEOGRID ELEVATION(S) IN AREA OF OVERLAP ARE SEPARATED BY A MINIMUM OF ONE FACING UNIT. RETURN GEOGRID ELEVATIONS TO SPECIFIED DESIGN ELEVATIONS BEYOND AREA OF OVERLAP.

OPTION 3:

IN AREA OF GEOGRID OVERLAP PLACE 3-INCH (75mm) SOIL COVER BETWEEN OVERLAPPING LAYERS OF GEOGRID. TRIM GEOGRID AT ADJACENT WALL FACE SUCH THAT GEOGRID DOES NOT OVERLAP BETWEEN FACING UNITS.



Strata Systems, Inc.
380 Dahlonega Road, Suite 200
Cumming, Georgia, 30040 USA
Tel: 770-888-6688
www.geogrid.com

DESCRIPTION	
Segmental Retaining Wall Outside Corner Detail	
Application: SRW	Design By: SSI
Date: 02/28/15	Drawn By: SSI
Rev #: 001	Scale: NTS

The information provided is a Suggestion only and is supplied by Strata Systems, Inc. free of charge. Determination of the suitability of the information and any Strata product mentioned is the responsibility of the owner or project design engineer of record. The owner or project design engineer of record must assume all risk of loss and damage of any kind arising from use of the information or any product of Strata Systems, Inc.
copyright 2015 - Strata Systems, Inc., Cumming, Georgia, USA

Sheet

1

1